Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

What is claimed is:

- 1. (Canceled).
- 2. (Canceled).
- (Currently Amended) A composition comprising at least two compounds of formula (II):

$$R_1$$
 CH O CH_2 CH_2 O H R_2 (II)

wherein R_1 and R_2 are each independently C_1 - C_4 alkyl, and n is an integer ≥ 0 and wherein the average molar value of n for the total of the compounds of formula (II) in said composition is in the range of 1 to [[3]] 2.

- 4. (Canceled).
- 5. (Currently Amended) A composition according to claim [[4]] 3 wherein the average molar value of n is about 1.7.

- 6. (Previously presented) A composition according to claim 3 wherein R₁R₂CH- is 4-methyl-pent-2-yl.
- 7. (Previously presented) A composition according to claim 3, wherein the compound of formula (II) where n=0 comprises less than 15% by weight of the total composition.
- (Previously presented) A composition according to claim 3, wherein the 8. compound of formula (II) where n=0 comprises less than 10% by weight of the total composition.
- (Previously presented) A composition according to claim 3, wherein the 9. compound of formula (II) where n=0 comprises less than or equal to 6.5% by weight of the total composition.
- 10. (Previously presented) A composition according to claim 3, wherein the total combined weight of compounds where n=0 and n=1 is such that the closed-cup flash point of said composition is greater than 65°C.
- 11. (Previously presented) A composition according to claim 3, wherein the total weight of compounds of formula (II) where n is greater than 4 is less than 20% of the combined total of compounds of formula (II).
- (Previously presented) A composition according to claim 3 which further 12. comprises other additives.

(Currently Amended) A method of preparing a composition comprising at least 13. two compounds of formula (II):

$$R_1$$
 $CH \longrightarrow O \longrightarrow CH_2 \longrightarrow CH_2 \longrightarrow O \longrightarrow H$ R_2 (II)

wherein R₁ and R₂ are each independently C₁-C₄ alkyl, and n is an integer ≥0, and wherein the average molar value of n for the total of the compounds of formula (II) in said composition is in the range of 1 to [[3]] 2, said method comprising:

reacting an excess of C3-C9 secondary alcohol with ethylene oxide in the presence of a catalyst in an ethoxylation vessel to form a mixture of two or more compounds of formula (II), separating at least a portion of unreacted secondary alcohol from the mixture, and recycling the unreacted secondary alcohol back to the ethoxylation vessel.

- 14. (Original) A method according to claim 13, wherein the C₂-C₉ secondary alcohol is 4-methyl-2-pentanol.
- 15. (Previously presented) A method according to claim 13 wherein the unreacted secondary alcohol is removed by distillation to provide a composition comprising unreacted secondary alcohol in an amount of less than 15% by weight of the total composition.
- (Original) A method according to claim 15, wherein unreacted secondary alcohol 16. comprises less than 10% by weight of the total composition.
- (Original) A method according to claim 15, wherein the unreacted secondary 17. alcohol comprises less than or equal to 8% by weight of the total composition.

- 18. (Original) A method according to claim 13 comprising a distillation step to remove from the composition compounds of formula (II) wherein n=0 and n=1 such that the closed-cup flash point of said composition is greater than 65°C.
- (Previously presented) A method according to claim 14 wherein total weight of 19. compounds of formula (II) where n is greater than 4 in said composition is less than 20% of the combined total of the compounds of formula (II) in the composition.
- 20. (Previously presented) A method according to claim 13, wherein the ethylene oxide to C₃-C₉ secondary alcohol ratio is kept below 70 wt% in said ethoxylation vessel.
- 21. (Original) A method according to claim 20, wherein the ratio is kept below 10 wt%.
- 22. (Previously presented) A method according to claim 13, wherein the catalyst is an alkali metal or alkaline earth metal base catalyst or a Lewis or Bronsted acid catalyst.
- 23. (Previously presented) A method according to claim 13, wherein the catalyst is a Narrow Range Ethoxylation catalyst.
- (Original) A method according to claim 22, wherein the alkali metal catalyst is 24. potassium hydroxide.
- 25. (Canceled).
- (Previously presented) A froth flotation process for the recovery of clean coal 26. from a slurry, the process comprising adding a composition according to claim 3 to the slurry.

- 27. (Previously presented) A froth flotation process according to claim 26, wherein the froth flotation process is performed in a Microcel®.
- 28. (Previously presented) A froth flotation process according to claim 26, wherein the froth flotation process is performed in a Jameson cell.
- 29. (Previously presented) A froth flotation process according to claim 26 wherein the froth flotation process is performed in an EKOF® cell.
- 30 (Currently Amended) A method for improveing improving the performance of a dissolved air flotation process, the method comprising adding a composition according to claim 3 to lower the liquid surface tension of a slurry used in the process.
- 31. (Previously presented) A flotation process for the recovery and concentration of desirable minerals or selective removal of undesirable minerals from a slurry, the process comprising adding a composition according to claim 3 to the slurry.
- 32. (Previously presented) A flotation process for the recovery of sulphide minerals from a slurry, the process comprising adding a composition according to claim 3 to the slurry.
- 33. (Previously presented) A froth flotation process for refining mineral or coal, the process comprising adding a composition according to claim 3 to a slurry of mineral or coal.
- 34. (Canceled).
- 35. (Canceled).
- 36. (Canceled).